Physica C 172 (1991) 515–519
North-Holland

Author Index to Volume 172

Affronte, M., M. Decroux, W. Sadowski, T. Graf and Ø. Fischer, Comparison of Hall effect near T_c in YBCO 123 single crystal and 124 ceramics **172**, 131
Alario-Franco, M.A., see M.A. Señarís-Rodríguez **172**, 477
Aldoshina, M.Z., see A.V. Skripov **172**, 340
Alexander, K.B., see K. Doverspike **172**, 486
Alexandrov, O.V., M. François, T. Graf and K. Yvon, Thermal expansion of $Y_2Ba_4Cu_7O_{15}$ in the temperature range 10–290 K, and comparison with $YBa_2Cu_3O_7$ and $YBa_2Cu_4O_8$ **172**, 491
Alloul, H., see C. Legros-Gledel **172**, 304
Altshuler, E., D. Carrillo, V. Venegas, A.R.R. Papa and C. Curbelo, Anomalies in the J_c versus B curves for oxalate route Y–Ba–Cu–O superconductors **172**, 361
Andersen, N.H., B. Lebech and H.F. Poulsen, The structural phase diagram and oxygen equilibrium partial pressure of $YBa_2Cu_3O_{6+x}$ studied by neutron powder diffraction and gas volumetry **172**, 31
Antognazza, L., see O. Eibl **172**, 365
Antognazza, L., see O. Eibl **172**, 373
Appel, J., see F. Richter **172**, 127
Apperley, M.H., see S.X. Dou **172**, 63
Asano, H., see T. Kamiyama **172**, 120

Bach, H., see B. vom Hedt **172**, 23
Balagurov, A.M., G.M. Mironova, L.A. Rudnickij and V.Ju. Galkin, Time-resolved neutron diffraction investigation of the effect of hydrogen on the high-T_c superconductor $YBa_2Cu_3O_{7-\delta}$ **172**, 331
Bansil, A., P.E. Mijnarends and L.C. Smedskjaer, c-Axis projected electron–positron momentum density in $YBa_2Cu_3O_7$ **172**, 175
Baughman, R.J., see B. Morosin **172**, 413
Baughman, R.J., see J.E. Schirber **172**, 465
Benoit, W., see Y. Mi **172**, 407
Berger, H., see Y. Mi **172**, 407
Bhullar, M.S., see W. Win **172**, 217
Blunt, F.J., see A.M. Campbell **172**, 253
Bonnet, B., see P. Strobel **172**, 193
Bordet, P., see H. Renevier **172**, 183
Brinkmann, D., see I. Mangelschots **172**, 57
Brunner, O., see O. Eibl **172**, 365
Brunner, O., see O. Eibl **172**, 373
Bryksin, V.V., A.V. Goltsev and S.N. Dorogovtsev, Magnetic flux penetration into Josephson networks in a critical state **172**, 352
Brynestad, J., see K. Doverspike **172**, 486
Burchfield, L.A., see Z.Z. Sheng **172**, 43

Campbell, A.M. and F.J. Blunt, Probing self field effects on intergrain currents using an AC technique **172**, 253
Cao, Y., see Y. Song **172**, 1
Cao Liezhao, see Yang Hongshun **172**, 71
Carbotte, J.P., see H. Chi **172**, 345
Carel, C., see J.-R. Gavarri **172**, 213
Carrillo, D., see E. Altshuler **172**, 361
Carter, C.B., see M.G. Norton **172**, 47
Cava, R.J., A. Santoro, J.J. Krajewski, R.M. Fleming, J.V. Waszczak, W.F. Peck Jr. and P. Marsh, The crystal structure of the $La_{1.6}Sr_{0.4}CaCu_2O_{6\pm\delta}$ superconductor **172**, 138
Chen, J.T., see W. Win **172**, 217
Chen, J.T., see W. Win **172**, 233
Chen, J.W. and W.-C. Chou, Electrical and magnetic properties of the metallic $Nd_{1.85}Ce_{0.15}CuO_{4-y}$ superconductor **172**, 229
Chen, X.-D., see Y. Song **172**, 1
Chen, Z., see R. Li **172**, 335
Chen Zhaojia, see Yang Hongshun **172**, 71
Cheong, S.-W., see M.F. Hundley **172**, 455
Chi, H. and J.P. Carbotte, Thermodynamics of extended s-wave superconductor **172**, 345
Chiang, C., Y.T. Huang and S.F. Wu, Comparative study to enhance the phase formation of Tl-based superconductor with three Cu–O layers **172**, 271
Chippindale, A.M., see M.A. Señarís-Rodrígue **172**, 477
Chou, W.-C., see J.W. Chen **172**, 229
Chrzanowski, J., see J.P. Franck **172**, 90
Coey, J.M.D., see K. Donnelly **172**, 207
Crooker, P.P., see Y. Song **172**, 1
Curbelo, C., see E. Altshuler **172**, 361

Decroux, M., see M. Affronte **172**, 131
Doi, K., see M. Morita **172**, 383
Donnelly, K., J.F. Fawler, J.M.D. Coey, D. Fruchart, S. Miraglia and J.L. Soubeyroux, The effect of hydrogen on $Bi_{1.8}Pb_{0.2}Sr_{2.2}Ca_{1.9}Cu_{3.0}O_x$: a neutron diffraction study **172**, 207
Dorogovtsev, S.N., see V.V. Bryksin **172**, 352
Dou, S.X., H.K. Liu, J. Wang, M.H. Apperley, C.C. Sorrell, S.J. Guo, B. Loberg and K.E. Easterling, Microstructure and flux pinning in superconducting Bi–Pb–Sr–Ca–Cu–O wires **172**, 63
Dou, S.X., H.K. Liu, W.M. Wu, W.X. Wang, C.C. Sorrell, R. Winn and N. Savvides, Melt processing of alkali element doped $Bi_2Sr_2CaCu_2O_8$ **172**, 295
Doverspike, K., C.R. Hubbard, R.K. Williams, K.B. Alexander, J. Brynestad and D.M. Kroeger, Anisotropic thermal expansion of the 1:2:4 yttrium barium copper oxide superconductor **172**, 486

Easterling, K.E., see S.X. Dou **172**, 63
Eibl, O., H.E. Hoenig, J.-M. Triscone, Ø. Fischer, L. Antognazza and O. Brunner, Microstructure of $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices deposited on (1 0 0) $SrTiO_3$ single crystals **172**, 365
Eibl, O., H.E. Hoenig, J.M. Triscone, Ø. Fischer, L. Antognazza and O. Brunner, Extended defects in $YBa_2Cu_3O_7PrBa_2Cu_3O_7$ superlattices deposited on (1 0 0) MgO single crystals **172**, 373
Endoh, Y., see T. Kamiyama **172**, 120

Falkovsky, L.A. and S. Klama, Electronic Raman light scattering in zero-gap anisotropic superconductors **172**, 242
Fawler, J.F., see K. Donnelly **172**, 207
Fischer, Ø., see M. Affronte **172**, 131
Fischer, Ø., see O. Eibl **172**, 365
Fischer, Ø., see O. Eibl **172**, 373
Fisk, Z., see M.F. Hundley **172**, 455
Fleming, R.M., see R.J. Cava **172**, 138
Fossheim, K., see L.T. Sagdahl **172**, 495
Fournier, T., see H. Renevier **172**, 183
Franck, J.P., J. Jung, G. Salomons, W.A. Miner, M.A.-K. Mohamed, J. Chrzanowski, S. Gygax, J.C. Irwin, D.F. Mitchell and G.I. Sproule, The oxygen isotope effect in superconducting $YBa_2Cu_3O_{7-\delta}$ **172**, 90
François, M., see O.V. Alexandrov **172**, 491
Freeman, A.J., see J. Yu **172**, 467
Fruchart, D., see K. Donnelly **172**, 207
Fujimoto, H., see L.T. Sagdahl **172**, 495

Gabilly, R., see C. Legros-Gledel **172**, 304
Gaines, J.R., see Y. Song **172**, 1
Galkin, V.Ju., see A.M. Balagurov **172**, 331
Garcia, E., see K.A. Kubat-Martin **172**, 75
Gavarri, J.-R., O. Monnereau, G. Vacquier, C. Carel and C. Vettier, Anisotropic compressibility of the orthorhombic phase $Bi_2Sr_2Ca_1Cu_2O_8$ **172**, 213
Ginley, D.S., see B. Morosin **172**, 413
Goltsev, A.V., see V.V. Bryksin **172**, 352
Gopalakrishnan, I.K., see R.A. Gunasekaran **172**, 325
Gopalakrishnan, I.K., J.V. Yakhmi and R.M. Iyer, $TlCaBaSrCu_2O_{7-\delta}$, a new 94 K superconductor **172**, 450
Gotoh, S., see L.T. Sagdahl **172**, 495
Graf, T., see M. Affronte **172**, 131
Graf, T., see O.V. Alexandrov **172**, 491
Greene, R.L., see J.L. Peng **172**, 143
Griessen, R., Thermally activated flux motion near the absolute zero **172**, 441
Gros, Y., see F. Hartmann-Boutron **172**, 287
Gunasekaran, R.A., I.K. Gopalakrishnan, J.V. Yakhmi, R.M. Iyer, C.V. Tomy and S.K. Malik, Superconducting behavior of tetragonal $Ca_{1-x}Cd_xBaLaCu_3O_{7-\delta}$ **172**, 325
Guo, S.J., see S.X. Dou **172**, 63
Gygax, S., see J.P. Franck **172**, 90

Hartmann-Boutron, F. and Y. Gros, Asymmetry of the ^{57}Fe Mössbauer quadrupole doublet in oriented powders and in single crystals of high-T_c superconductors **172**, 287
He, J., see L. Wang **172**, 267
Heinmaa, I., see A.V. Skripov **172**, 340
Hellstrom, E.E., see R.D. Ray II **172**, 435
Hertel, P., see F. Richter **172**, 127
Hidaka, Y., see T. Kamiyama **172**, 120
Hiraga, K., see A. Tokiwa **172**, 155
Hirsch, J.E. and F. Marsiglio, Prediction for the change in lattice constants of electron-doped high-T_c superconductors under hydrostatic pressure based on the observed pressure dependence of T_c **172**, 265
Hodeau, J.L., see H. Renevier **172**, 183
Hoenig, H.E., see O. Eibl **172**, 365
Hoenig, H.E., see O. Eibl **172**, 373
Hsieh, Y.-F., see M.P. Siegal **172**, 282
Huang, Y.T., see C. Chiang **172**, 271
Hubbard, C.R., see K. Doverspike **172**, 486
Hull, G.W., see J.M. Tarascon **172**, 13
Hundley, M.F., R.S. Kwok, S.-W. Cheong, J.D. Thompson and Z. Fisk, Anisotropic electronic and thermal transport properties of lightly oxygen-doped $La_2CuO_{4+\delta}$ **172**, 455

Irwin, J.C., see J.P. Franck **172**, 90
Iyer, R.M., see R.A. Gunasekaran **172**, 325
Iyer, R.M., see I.K. Gopalakrishnan **172**, 450
Izumi, F., see T. Kamiyama **172**, 120
Izumi, F., J.D. Jorgensen, P. Lightfoot, S. Pei, Y. Yamada, E. Takayama-Muromachi and T. Matsumoto, Pressure-induced structural changes in the superconductor $(Nd_{1-x}Sr_x)(Nd_{1-y}Ce_y)CuO_{4-z}$. A neutron diffraction study **172**, 166

Jia, C.L., B. Kabius, H. Soltner, U. Poppe and K. Urban, Interfacial defects in $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$-heterostructures on $SrTiO_3$ substrates **172**, 81
Jilek, E., see I. Mangelschots **172**, 57
Job, R. and M. Rosenberg, Lower critical field, remanent magnetization and irreversibility line of ceramic (Bi,Pb)-2223-HTSC **172**, 391
Jones, R., see J.M. Tarascon **172**, 13
Jorgensen, J.D., see F. Izumi **172**, 166
Jung, J., see J.P. Franck **172**, 90

Kabius, B., see C.L. Jia **172**, 81
Kaga, H., Slave-boson approach to the anomalous doping effects of the Hall constants of $La_{2-x}Sr_xCuO_4$ **172**, 400
Kaldis, E., see I. Mangelschots **172**, 57
Kaldis, E., see R.J. Nelmes **172**, 311
Kamiyama, T., F. Izumi, H. Asano, H. Takagi, S. Uchida, Y. Tokura, E. Takayama-Muromachi, M. Matsuda, K. Yamada, Y. Endoh and Y. Hidaka, Sr-induced oxygen defects in $La_{2-x}Sr_xCuO_{4-\delta}$. A neutron powder diffraction study **172**, 120
Karpinski, J., see I. Mangelschots **172**, 57
Karpinski, J., see R.J. Nelmes **172**, 311

Kikuchi, M., see A. Tokiwa **172**, 155
Klama, S., see L.A. Falkovsky **172**, 242
Klotz, S., W. Reith and J.S. Schilling, The dependence of the superconducting transition temperature of single-crystalline $YBa_2Cu_3O_{7-\delta}$ on hydrostatic pressure to 13 GPa **172**, 423
Koshizuka, N., see L.T. Sagdahl **172**, 495
Koyama, T., N. Takezawa and M. Tachiki, Flux line in layered superconductors. A single flux line parallel to the layers **172**, 501
Krajewski, J.J., see R.J. Cava **172**, 138
Kroeger, D.M., see K. Doverspike **172**, 486
Kubat-Martin, K.A., E. Garcia and D.E. Peterson, $Ba_4CaCu_3O_x$, a new phase in the Ba–Ca–Cu–O system. Preliminary phase relationships **172**, 75
Kwok, R.S., see M.F. Hundley **172**, 455

Lægreid, T., see L.T. Sagdahl **172**, 495
Lebech, B., see N.H. Andersen **172**, 31
Legros-Gledel, C., J.-F. Marucco, B. Touzelin, R. Gabilly, A. Pinatel-Philippot and H. Alloul, Structural and thermodynamic properties of the Zn-substituted YBaCu-oxides **172**, 304
LePage, Y., see J.M. Tarascon **172**, 13
Levin, K., see Q. Si **172**, 481
Li, R., Z. Chen and Y. Qian, Structure and properties of the 123-related compound $LaBaPrCu_3O_{7+\delta}$ **172**, 335
Lightfoot, P., see F. Izumi **172**, 166
Liu, H.K., see S.X. Dou **172**, 63
Liu, H.K., see S.X. Dou **172**, 295
Loberg, B., see S.X. Dou **172**, 63
Logothetis, E.M., see W. Win **172**, 217
Logothetis, E.M., see W. Win **172**, 233
Loveday, J.S., see R.J. Nelmes **172**, 311
Lu, J.P., see Q. Si **172**, 481
Lyubovskaya, R.N., see A.V. Skripov **172**, 340

Mali, M., see I. Mangelschots **172**, 57
Malik, S.K., see R.A. Gunasekaran **172**, 325
Mangelschots, I., M. Mali, J. Roos, H. Zimmermann, D. Brinkmann, S. Rusiecki, J. Karpinski, E. Kaldis and E. Jilek, Evidence for Ca substituting Ba in $YBa_{2-x}Ca_xCu_4O_{8\pm y}$. A nuclear quadrupole resonance investigation **172**, 57
Marezio, M., see H. Renevier **172**, 183
Marsh, P., see R.J. Cava **172**, 138
Marshall, J.H., see M.P. Siegal **172**, 282
Marsiglio, F., see J.E. Hirsch **172**, 265
Marucco, J.-F., see C. Legros-Gledel **172**, 304
Matsuda, M., see T. Kamiyama **172**, 120
Matsuda, S., see M. Morita **172**, 383
Matsumoto, T., see F. Izumi **172**, 166
McKinnon, W.R., see J.M. Tarascon **172**, 13
Meason, J.M., see Z.Z. Sheng **172**, 43
Mi, Y., R. Schaller, H. Berger, W. Benoit and S. Sathish, Low temperature internal friction spectrum of $YBa_2Cu_3O_x$ **172**, 407
Mijnarends, P.E., see A. Bansil **172**, 175
Miner, W.A., see J.P. Franck **172**, 90
Miraglia, S., see K. Donnelly **172**, 207
Mironova, G.M., see A.M. Balagurov **172**, 331
Misra, A., see Y. Song **172**, 1
Mitchell, D.F., see J.P. Franck **172**, 90
Miyamoto, K., see M. Morita **172**, 383
Mohamed, M.A.-K., see J.P. Franck **172**, 90
Molotkov, S.N., S.S. Nazin, I.S. Smirnova and V.V. Tatarskii, Electronic properties of substitutions in the $YBa_2Cu_3O_7$ anionic sublattice **172**, 149
Monnereau, O., see J.-R. Gavarri **172**, 213
Morán, E., see M.A. Señarís-Rodrígue **172**, 477
Morita, M., K. Miyamoto, K. Doi, M. Murakami, K. Sawano and S. Matsuda, Processing and superconducting properties of high-J_c bulk YBaCuO prepared by melt process **172**, 383
Morosin, B., D.S. Ginley, E.L. Venturini, R.J. Baughman and C.P. Tigges, Structure studies on Tl-2122 and Tl-2223 superconductors **172**, 413
Morosin, B., see J.E. Schirber **172**, 465
Mouget, C., see P. Strobel **172**, 193
Murakami, M., see M. Morita **172**, 383
Murakami, M., see L.T. Sagdahl **172**, 495

Nagoshi, M., see A. Tokiwa **172**, 155
Nazin, S.S., see S.N. Molotkov **172**, 149
Nelmes, R.J., J.S. Loveday, E. Kaldis and J. Karpinski, The crystal structure of $YBa_2Cu_4O_8$ as a function of pressure up to 5 GPa **172**, 311
Norton, M.G. and C.B. Carter, On the optimization of the laser ablation process for the deposition of $YBa_2Cu_3O_{7-\delta}$ thin films **172**, 47

Obien, J.M., see W. Win **172**, 217
Oguchi, T., T. Sasaki and K. Terakura, Electronic band structure of $YBa_2Cu_4O_8$ **172**, 277
Oikawa, T., see A. Tokiwa **172**, 155
Oku, T., see A. Tokiwa **172**, 155
Overmyer, D.L., see J.E. Schirber **172**, 465

Padmanaban, V.P.N. and K. Shahi, Fluctuation induced paraconductivity in $YBa_2Cu_3O_{7-\delta}$ **172**, 427
Papa, A.R.R., see E. Altshuler **172**, 361
Park, K.T., see J. Yu **172**, 467
Peck Jr., W.F., see R.J. Cava **172**, 138
Pei, S., see F. Izumi **172**, 166
Peng, J.L. and R.L. Greene, Flux creep and irreversibility in electron-doped $Pr_{1.85}Th_{0.15}CuO_{4-y}$ **172**, 143
Peterson, D.E., see K.A. Kubat-Martin **172**, 75
Phillips, J.M., see M.P. Siegal **172**, 282
Pinatel-Philippot, A., see C. Legros-Gledel **172**, 304
Pleizier, G., see J.M. Tarascon **172**, 13
Plummer, K.H., see W. Win **172**, 217
Popov, V.N. and V.L. Valchinov, Phonon spectra of the $Nd_{1.85}Ce_{0.15}CuO_4$ superconductor **172**, 260
Poppe, U., see C.L. Jia **172**, 81
Poulsen, H.F., see N.H. Andersen **172**, 31

Qian, Y., see R. Li **172**, 335
Querubin Jr., A., see Y. Song **172**, 1

Ramesh, R., see J.M. Tarascon **172**, 13
Ray II, R.D. and E.E. Hellstrom, Ag-clad Bi–Sr–Ca–Cu–O wires. I. Phase study of fully processed 2:2:1:2 wires **172**, 435
Reith, W., see S. Klotz **172**, 423
Remova, A.A. and B.Ya. Shapiro, The polaron structure in the conducting layers of the high-temperature superconductors **172**, 105
Remschnig, K., see J.M. Tarascon **172**, 13
Renevier, H., J.L. Hodeau, T. Fournier, P. Bordet and M. Marezio, Gold effect on chemical bonding in $YBa_2(Cu_{1-y}, Au_y)_3O_{6+x}$ **172**, 183
Richter, F., J. Appel and P. Hertel, On the motion of an extra electron in an antiferromagnetic CuO_2 layer **172**, 127
Roos, J., see I. Mangelschots **172**, 57
Rosenberg, M., see R. Job **172**, 391
Rudnickij, L.A., see A.M. Balagurov **172**, 331
Rusiecki, S., see I. Mangelschots **172**, 57

Sadowski, W., see M. Affronte **172**, 131
Sagdahl, L.T., T. Lægreid, K. Fossheim, M. Murakami, H. Fujimoto, S. Gotoh, K. Yamaguchi, H. Yamauchi, N. Koshizuka and S. Tanaka, Restricted reversible region and strongly enhanced pinning in MPMG $YBa_2Cu_3O_7$ with Y_2BaCuO_5 inclusions **172**, 495
Salomons, G., see J.P. Franck **172**, 90
Santoro, A., see R.J. Cava **172**, 138
Sasaki, T., see T. Oguchi **172**, 277
Sathish, S., see Y. Mi **172**, 407
Savvides, N., see S.X. Dou **172**, 295
Sawano, K., see M. Morita **172**, 383
Schaller, R., see Y. Mi **172**, 407
Schilling, J.S., see S. Klotz **172**, 423
Schirber, J.E., D.L. Overmyer, R.J. Baughman and B. Morosin, Search for high temperature superconductivity in $LiPdH_x$ **172**, 465
Señarís-Rodríguez, M.A., A.M. Chippindale, A. Várez, E. Morán and M.A. Alario-Franco, A novel "126" phase of the family of $Y_2Ba_4Cu_{6+n}O_{14+n}$ high-temperature superconducting materials **172**, 477
Shahi, K., see V.P.N. Padmanaban **172**, 427
Shapiro, B.Ya., see A.A. Remova **172**, 105
Sheng, Z.Z., Y. Xin, J.M. Meason and L.A. Burchfield, Superconductivity above 100 K in the Ca-free Tl–Pb–Sr–Pr–Cu–O system **172**, 43
Shindo, D., see A. Tokiwa **172**, 155
Si, Q., J.P. Lu and K. Levin, Magnetic interactions in the metallic phase of the copper oxides. A Fermi liquid description **172**, 481
Siegal, M.P., J.M. Phillips, Y.-F. Hsieh and J.H. Marshall, Growth of epitaxial $Ba_2YCu_3O_{7-x}$ films on $LaAlO_3$ (0 0 1) **172**, 282
Skripov, A.V., A.P. Stepanov, I. Heinmaa, A. Vainrub, R.N. Lyubovskaya and M.Z. Aldoshina, Nuclear spin relaxation in the organic superconductors (BEDT–TTF)$_4Hg_{2.78}Cl_8$ and (BEDT–TTF)$_4Hg_{2.89}Br_8$ **172**, 340
Smedskjaer, L.C., see A. Bansil **172**, 175
Smirnova, I.S., see S.N. Molotkov **172**, 149
Soltis, R.E., see W. Win **172**, 217
Soltis, R.E., see W. Win **172**, 233
Soltner, H., see C.L. Jia **172**, 81
Song, Y., A. Misra, Y. Cao, A. Querubin Jr., X.-D. Chen, P.P. Crooker and J.R. Gaines, $1/f$ noise power measurements on $Tl_2Ba_2Ca_{n-1}Cu_nO_{4+2n}$ ($n=2$ and 3) **172**, 1
Sorrell, C.C., see S.X. Dou **172**, 63
Sorrell, C.C., see S.X. Dou **172**, 295
Soubeyroux, J.L., see K. Donnelly **172**, 207
Souletie, B., see P. Strobel **172**, 193
Sproule, G.I., see J.P. Franck **172**, 90
Stepanov, A.P., see A.V. Skripov **172**, 340
Strobel, P., B. Bonnet, C. Mouget and B. Souletie, Optimization of hole density and T_c in $Bi_2(Sr, Ca)_3Cu_2O_{8+y}$ by lithium electrochemical reduction **172**, 193
Syono, Y., see A. Tokiwa **172**, 155

Tachiki, M., see T. Koyama **172**, 501
Takagi, H., see T. Kamiyama **172**, 120
Takayama-Muromachi, E., see T. Kamiyama **172**, 120
Takayama-Muromachi, E., see F. Izumi **172**, 166
Takayama-Muromachi, E., Monte Carlo simulation of oxygen disordering in the $YBa_2(Cu_{1-x}M_x)_3O_y$ (M=Al, Fe, Co, Ga) system **172**, 199
Takezawa, N., see T. Koyama **172**, 501
Tanaka, S., see L.T. Sagdahl **172**, 495
Tarascon, J.M., W.R. McKinnon, Y. LePage, K. Remschnig, R. Ramesh, R. Jones, G. Pleizier and G.W. Hull, Superconductivity at 27 K in modulation-free $Bi_{2-x}Pb_xSr_{2-y}La_yCuO_6$ phases with $x \simeq y+0.2$ **172**, 13
Tatarskii, V.V., see S.N. Molotkov **172**, 149
Terakura, K., see T. Oguchi **172**, 277
Thompson, J.D., see M.F. Hundley **172**, 455
Tigges, C.P., see B. Morosin **172**, 413
Tokiwa, A., T. Oku, M. Nagoshi, D. Shindo, M. Kikuchi, T. Oikawa, K. Hiraga and Y. Syono, Synthesis and crystal structure of $Pb(Ba, Sr)_2(Ln, Ce)_2Cu_3O_y$ (Ln: lanthanoid, $y=9-10.4$), a new member of the Pb system **172**, 155
Tokura, Y., see T. Kamiyama **172**, 120
Tomy, C.V., see R.A. Gunasekaran **172**, 325
Touzelin, B., see C. Legros-Gledel **172**, 304
Triscone, J.-M., see O. Eibl **172**, 365
Triscone, J.M., see O. Eibl **172**, 373

Uchida, S., see T. Kamiyama **172**, 120
Urban, K., see C.L. Jia **172**, 81

Vacquier, G., see J.-R. Gavarri **172**, 213
Vainrub, A., see A.V. Skripov **172**, 340
Valchinov, V.L., see V.N. Popov **172**, 260
Várez, A., see M.A. Señarís-Rodrígue **172**, 477
Venegas, V., see E. Altshuler **172**, 361

Venturini, E.L., see B. Morosin **172**, 413
Vettier, C., see J.-R. Gavarri **172**, 213
Vom Hedt, B., K. Westerholt and H. Bach, Magnetic order and electronic charge transport in the system $(Sr_{1-x}Eu_x)_2VO_4$ **172**, 23

Wali, M., see W. Win **172**, 217
Wang, G., see L. Wang **172**, 267
Wang, J., see S.X. Dou **172**, 63
Wang, L., J. He and G. Wang, Electromotive force across a point-contact junction of Y–Ba–Cu–O irradiated by a laser beam **172**, 267
Wang, W.X., see S.X. Dou **172**, 295
Wang Keqin, see Yang Hongshun **172**, 71
Waszczak, J.V., see R.J. Cava **172**, 138
Wenger, L.E., see W. Win **172**, 217
Wenger, L.E., see W. Win **172**, 233
Westerholt, K., see B. vom Hedt **172**, 23
Williams, R.K., see K. Doverspike **172**, 486
Win, W., M. Wali, J.M. Obien, M.S. Bhullar, L.E. Wenger, J.T. Chen, E.M. Logothetis, R.E. Soltis and K.H. Plummer, Electrical and magnetic studies of $YBa_2Cu_3O_7$:Y_2BaCuO_5 composites **172**, 217
Win, W., L.E. Wenger, J.T. Chen, E.M. Logothetis and R.E. Soltis, Nonlinear magnetic response of the complex AC susceptibility in the $YBa_2Cu_3O_7$ superconductors **172**, 233
Winn, R., see S.X. Dou **172**, 295
Wu, S.F., see C. Chiang **172**, 271
Wu, W.M., see S.X. Dou **172**, 295

Xin, Y., see Z.Z. Sheng **172**, 43

Yakhmi, J.V., see R.A. Gunasekaran **172**, 325
Yakhmi, J.V., see I.K. Gopalakrishnan **172**, 450
Yamada, K., see T. Kamiyama **172**, 120
Yamada, Y., see F. Izumi **172**, 166
Yamaguchi, K., see L.T. Sagdahl **172**, 495
Yamauchi, H., see L.T. Sagdahl **172**, 495
Yang Hongshun, Zhan Xiaonong, Zhu Changfei, Wang Keqin, Cao Liezhao and Chen Zhaojia, Study on the specific heat anomalies of $La_{2-x}Sr_xCuO_{4-\delta}$ polycrystalline samples **172**, 71
Yu, J., K.T. Park and A.J. Freeman, Electronic structure and properties of $YBa_2Cu_4O_8$ **172**, 467
Yvon, K., see O.V. Alexandrov **172**, 491

Zhan Xiaonong, see Yang Hongshun **172**, 71
Zhu Changfei, see Yang Hongshun **172**, 71
Zimmermann, H., see I. Mangelschots **172**, 57

Physica C 172 (1991) 521–522
North-Holland

Analytic Subject Index to Volume 172

AC susceptibility 217, 233, 253, 423
– of $TlCaBaSrCu_2O_{7-\delta}$ 450
– of $YBa_2Cu_3O_7$ 495
Anharmonicity 491
Anisotropic superconductor 242, 345
Anisotropic transport
– in $La_2CuO_{4+\delta}$ 455
Antiferromagnetic order 127
– in $(Sr_{1-x}Eu_x)_2VO_4$ 23
Applications of high-T_c superconductors 435

Band structure
– of $YBa_2Cu_3O_7$ 149, 175
– of $YBa_2Cu_4O_8$ 277, 467

Cation disorder 413
Critical current density 253, 361, 383
– in Bi–Pb–Sr–Ca–Cu–O 63
Critical state model 352
Crystal structure 155
– of $(Nd_{1-x}Sr_x)(Nd_{1-y}Ce_y)CuO_{4-z}$ 166
$CuO_{2\text{-}planes}$ 127
Cu–O planes 105

Defect structure 81, 304, 373
– in Tl–Ca–Ba–Cu–O 413
– in $YBa_2(Cu_{1-x}M_x)_3O_y$ (M=Al,Fe,Co,Ga) 199

Elasticity
– of $YBa_2Cu_3O_x$ 407
Electrical resistivity 217, 427
– of $Nd_{1.85}Ce_{0.15}CuO_{4-y}$ 229
– of $TlCaBaSrCu_2O_{7-\delta}$ 450
Electrochemical reduction 193
Electromotive force 267
Electron-doped superconductor 143, 265

Fermi liquid 481
Fermi surface 277
– of $YBa_2Cu_4O_8$ 467
Fluctuation effects 427
Flux creep 143
Flux dynamics 131
Flux pinning 352, 441, 495
– in (Bi,Pb)-2223 391

– in Bi–Pb–Sr–Ca–Cu–O 63

Grain alignment 287
Grain boundaries 1, 282
Granular superconductivity 217, 233, 253, 352, 361

Hall effect 131
– in $La_{2-x}Sr_xCuO_4$ 400
High pressure effect 265, 311
– on $Bi_2Sr_2Ca_1Cu_2O_8$ 213
– on $YBa_2Cu_3O_{7-\delta}$ 423
Hole concentration
– in $Bi_2(Sr,Ca)_3Cu_2O_{8+y}$ 193
– in $La_{2-x}Sr_xCuO_4$ 400
HREM 13, 81, 155, 365, 373
Hubbard Hamiltonian 127, 481
Hydrogenation
– of $YBa_2Cu_3O_{7-\delta}$ 331

Interfaces 81
Irradiation effect 267
Irreversibility 495
Isotope effect
– in $YBa_2Cu_3O_{7-\delta}$ 90

Josephson effect 233
Josephson network 352

Laser deposition
– of $YBa_2Cu_3O_{7-\delta}$ 47
Lawrence–Doniach model 501
Lead copper oxide 155
Local-density-functional theory 277
Lower critical field
– of (Bi,Pb)-2223 391

Magnetic interactions 481
Magnetic relaxation 441
Magnetic susceptibility
– of $La_2CuO_{4+\delta}$ 455
– of $LiPdH_x$ 465
– of $(Sr_{1-x}Eu_x)_2VO_4$ 23
– of (Tl,Bi,Pb)–Sr–Ca–Cu–O 271
Magnetization 143
– of $Nd_{1.85}Ce_{0.15}CuO_{4-y}$ 229
Meissner effect 413
Melt process 383
Microstructure

– of $YBa_2Cu_3O_{7-\delta}$ (thin films) 47
Mixed state 131
Modulated structures 13
Monte Carlo simulation 199
Mössbauer spectroscopy 287
MPMG 495
Multilayers
– of $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ 365, 373

Neutron diffraction
– of $Bi_{1.8}Pb_{0.2}Sr_{2.2}Ca_{1.9}Cu_{3.0}O_x$ 207
– of $Bi_2Sr_2Ca_1Cu_2O_8$ 213
– of $La_{1.6}Sr_{0.4}CaCu_2O_{6\pm\delta}$ 138
– of $La_{2-x}Sr_xCuO_{4-\delta}$ 120
– of $YBa_2Cu_3O_{6+x}$ 31
– of $YBa_2Cu_3O_{7-\delta}$ 331
Neutron powder diffraction
– of $(Nd_{1-x}Sr_x)(Nd_{1-y}Ce_y)CuO_{4-z}$ 166
NMR 340
Noise spectrum
– in $Tl_2Ba_2Ca_{n-1}Cu_nO_{4+2n}$ 1
Normal-state properties 340
NQR
– in $YBa_{2-x}Ca_xCu_4O_{8\pm y}$ 57

Optical absorption 267
Organic superconductor 340
O–T transition 31, 199, 304
Oxygen defects
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 120
Oxygen ordering
– in $YBa_2Cu_3O_x$ 407
Oxygen stoichiometry 31, 413
– in $Bi_{1.8}Pb_{0.2}Sr_{2.2}Ca_{1.9}Cu_{3.0}O_x$ 207
– in $Ca_{1-x}Cd_xBaLaCu_3O_{7-\delta}$ 325
– in $La_2CuO_{4+\delta}$ 455

$Pb(Ba,Sr)_2(Ln,Ce)_2Cu_3O_y$ 155
Phase diagram
– of $La_{2-x}Sr_xCuO_{4-\delta}$ 71
Phase separation
– in $La_2CuO_{4+\delta}$ 455
Phase transition 155
Phonon spectrum
– of $Nd_{1.85}Ce_{0.15}CuO_4$ 260
Polaronic conductivity 23
Polaron structure 105
Positron annihilation 175

Pressure effect
– on
$(Nd_{1-x}Sr_x)(Nd_{1-y}Ce_y)CuO_{4-z}$ 166

Raman scattering 242
– in $YBa_2Cu_3O_{7-\delta}$ 90
Remanent magnetization
– in (Bi,Pb)-2223 391

Scanning electron microscopy 282
Shell model 260
Single-crystal growth 383
– of $Ba_4CaCu_3O_x$ 75
– of $YBa_2Cu_4O_8$ 311
Specific heat 345
Specific heat, at T_c
– in $La_{2-x}Sr_xCuO_{4-\delta}$ 71
Spin-lattice relaxation time T_1 340
Structure
– of $Ba_4CaCu_3O_x$ 75
– of $Bi_{2-x}Pb_xSr_{2-y}CuO_6$ 13
– of $Ca_{1-x}Cd_xBaLaCu_3O_{7-\delta}$ 325
– of $La_{1.6}Sr_{0.4}CaCu_2O_{6\pm\delta}$ 138
– of $La_{2-x}Sr_xCuO_{4-\delta}$ 120
– of $LaBaPrCu_3O_{7+\delta}$ 335
– of $TlCaBaSrCu_2O_{7-\delta}$ 450
– of Tl–Pb–Sr–Pr–Cu–O 43
– of $YBa_2(Cu_{1-y}Au_y)_3O_{6+x}$ 183
– of $YBa_2Cu_{2.88}Zn_{0.12}O_z$ 304
– of $YBa_2Cu_4O_8$ 311
– of $YBa_{2-x}Ca_xCu_4O_{8\pm y}$ 57
– of Y–Ba–Cu–O 477
Substitution effects 193
– in $Bi_2Sr_2CaCu_2O_8$ 295
– in $YBa_2Cu_3O_6X$ 149
– of $YBa_{2-x}Ca_xCu_4O_{8\pm y}$ 57
Synthesis
– of $Ba_4CaCu_3O_x$ 75
– of $Bi_{1.8}Pb_{0.2}Sr_{2.2}Ca_{1.9}Cu_{3.0}O_x$ 207
– of $Bi_2Sr_2CaCu_2O_8$ 295
– of $Bi_{2-x}Pb_xSr_{2-y}CuO_6$ 13
– of $Ca_{1-x}Cd_xBaLaCu_3O_{7-\delta}$ 325
– of $Tl_2Ba_2Ca_{n-1}Cu_nO_{4+2n}$ 1
– of (Tl,Bi,Pb)–Sr–Ca–Cu–O 271
– of $TlCaBaSrCu_2O_{7-\delta}$ 450
– of Tl–Pb–Sr–Pr–Cu–O 43
– of $YBa_2(Cu_{1-y}Au_y)_3O_{6+x}$ (single crystal) 183
– of $YBa_2Cu_{2.88}Zn_{0.12}O_z$ 304
– of $YBa_2Cu_4O_8$ 486
– of Y–Ba–Cu–O 477

Thermal expansion
– of $Y_2Ba_4Cu_7O_{15}$ 491
– of $YBa_2Cu_4O_8$ 486
Thermally activated flux motion 441
Thermoelectric power
– of $(Sr_{1-x}Eu_x)_2VO_4$ 23
– of Tl–Pb–Sr–Pr–Cu–O 43
Thin films 81
– of $YBa_2Cu_3O_{7-\delta}$ 47
– of $YBa_2Cu_3O_{7-x}$ 282

Weak links 217, 233, 361
Whiskers 295

$YBa_2Cu_3O_{7-\delta}$ 427

Physica C 172 (1991) 523
North-Holland

Materials Index to Volume 172

$Ba_4CaCu_3O_x$
- single-crystal growth 75
- structure 75
- synthesis 75

$Bi_{1.8}Pb_{0.2}Sr_{2.2}Ca_{1.9}Cu_{3.0}O_x$
- neutron diffraction 207
- oxygen stoichiometry 207
- synthesis 207

$Bi_2Sr_2Ca_1Cu_2O_8$
- high pressure effect 213
- neutron diffraction 213

$Bi_2Sr_2CaCu_2O_8$
- substitution effects 295
- synthesis 295

$Bi_2(Sr,Ca)_3Cu_2O_{8+y}$
- hole concentration 193

$Bi_{2-x}Pb_xSr_{2-y}CuO_6$
- structure 13
- synthesis 13

(Bi,Pb)-2223
- flux pinning 391
- lower critical field 391
- remanent magnetization 391

Bi–Pb–Sr–Ca–Cu–O
- critical current density 63
- flux pinning 63

$Ca_{1-x}Cd_xBaLaCu_3O_{7-\delta}$
- oxygen stoichiometry 325
- structure 325
- synthesis 325

$La_{1.6}Sr_{0.4}CaCu_2O_{6\pm\delta}$
- neutron diffraction 138
- structure 138

$La_2CuO_{4+\delta}$
- anisotropic transport 455
- magnetic susceptibility 455
- oxygen stoichiometry 455
- phase separation 455

$La_{2-x}Sr_xCuO_4$
- Hall effect 400
- hole concentration 400

$La_{2-x}Sr_xCuO_{4-\delta}$
- neutron diffraction 120
- oxygen defects 120
- phase diagram 71
- specific heat, at T_c 71
- structure 120

$LaBaPrCu_3O_{7+\delta}$
- structure 335

$LiPdH_x$
- magnetic susceptibility 465

$Nd_{1.85}Ce_{0.15}CuO_4$
- phonon spectrum 260

$Nd_{1.85}Ce_{0.15}CuO_{4-y}$
- electrical resistivity 229
- magnetization 229

$(Nd_{1-x}Sr_x)(Nd_{1-y}Ce_y)CuO_{4-z}$
- crystal structure 166
- neutron powder diffraction 166
- pressure effect 166

$(Sr_{1-x}Eu_x)_2VO_4$
- antiferromagnetic order 23
- magnetic susceptibility 23
- thermoelectric power 23

$Tl_2Ba_2Ca_{n-1}Cu_nO_{4+2n}$
- noise spectrum 1
- synthesis 1

(Tl,Bi,Pb)–Sr–Ca–Cu–O
- magnetic susceptibility 271
- synthesis 271

Tl–Ca–Ba–Cu–O
- defect structure 413

$TlCaBaSrCu_2O_{7-\delta}$
- AC susceptibility 450
- electrical resistivity 450
- structure 450
- synthesis 450

Tl–Pb–Sr–Pr–Cu–O
- structure 43
- synthesis 43
- thermoelectric power 43

$Y_2Ba_4Cu_7O_{15}$
- thermal expansion 491

$YBa_2(Cu_{1-x}M_x)_3O_y$
- defect structure 199

$YBa_2(Cu_{1-y}Au_y)_3O_{6+x}$
- structure 183
- synthesis 183

$YBa_2Cu_{2.88}Zn_{0.12}O_z$
- structure 304
- synthesis 304

$YBa_2Cu_3O_{6+x}$
- neutron diffraction 31

$YBa_2Cu_3O_6X$
- substitution effects 149

$YBa_2Cu_3O_7$
- AC susceptibility 495
- band structure 149, 175

$YBa_2Cu_3O_7/PrBa_2Cu_3O_7$
- multilayers 365, 373

$YBa_2Cu_3O_{7-\delta}$
- high pressure effect 423
- hydrogenation 331
- isotope effect 90
- laser deposition 47
- microstructure 47
- neutron diffraction 331
- Raman scattering 90
- thin films 47

$YBa_2Cu_3O_{7-x}$
- thin films 282

$YBa_2Cu_3O_x$
- elasticity 407
- oxygen ordering 407

$YBa_2Cu_4O_8$
- band structure 277, 467
- Fermi surface 467
- single-crystal growth 311
- structure 311
- synthesis 486
- thermal expansion 486

$YBa_{2-x}Ca_xCu_4O_{8\pm y}$
- NQR 57
- structure 57
- substitution effects 57

Y–Ba–Cu–O
- structure 477
- synthesis 477

Physica C 172 (1991) 525–526
North-Holland

Cumulative Author Index to Vols. 172–184

Affronte, M., **172**, 131
Alario-Franco, M.A., **172**, 477
Aldoshina, M.Z., **172**, 340
Alexander, K.B., **172**, 486
Alexandrov, O.V., **172**, 491
Alloul, H., **172**, 304
Altshuler, E., **172**, 361
Andersen, N.H., **172**, 31
Antognazza, L., **172**, 365, 373
Appel, J., **172**, 127
Apperley, M.H., **172**, 63
Asano, H., **172**, 120

Bach, H., **172**, 23
Balagurov, A.M., **172**, 331
Bansil, A., **172**, 175
Baughman, R.J., **172**, 413, 465
Benoit, W., **172**, 407
Berger, H., **172**, 407
Bhullar, M.S., **172**, 217
Blunt, F.J., **172**, 253
Bonnet, B., **172**, 193
Bordet, P., **172**, 183
Brinkmann, D., **172**, 57
Brunner, O., **172**, 365, 373
Bryksin, V.V., **172**, 352
Brynestad, J., **172**, 486
Burchfield, L.A., **172**, 43

Campbell, A.M., **172**, 253
Cao, Y., **172**, 1
Cao Liezhao, **172**, 71
Carbotte, J.P., **172**, 345
Carel, C., **172**, 213
Carrillo, D., **172**, 361
Carter, C.B., **172**, 47
Cava, R.J., **172**, 138
Chen, J.T., **172**, 217, 233
Chen, J.W., **172**, 229
Chen, X.-D., **172**, 1
Chen, Z., **172**, 335
Chen Zhaojia, **172**, 71
Cheong, S.-W., **172**, 455
Chi, H., **172**, 345
Chiang, C., **172**, 271
Chippindale, A.M., **172**, 477
Chou, W.-C., **172**, 229
Chrzanowski, J., **172**, 90
Coey, J.M.D., **172**, 207
Crooker, P.P., **172**, 1
Curbelo, C., **172**, 361

Decroux, M., **172**, 131
Doi, K., **172**, 383
Donnelly, K., **172**, 207
Dorogovtsev, S.N., **172**, 352
Dou, S.X., **172**, 63, 295
Doverspike, K., **172**, 486

Easterling, K.E., **172**, 63
Eibl, O., **172**, 365, 373
Endoh, Y., **172**, 120

Falkovsky, L.A., **172**, 242
Fawler, J.F., **172**, 207
Fischer, Ø., **172**, 131, 365, 373
Fisk, Z., **172**, 455
Fleming, R.M., **172**, 138
Fossheim, K., **172**, 495
Fournier, T., **172**, 183
Franck, J.P., **172**, 90
François, M., **172**, 491
Freeman, A.J., **172**, 467
Fruchart, D., **172**, 207
Fujimoto, H., **172**, 495

Gabilly, R., **172**, 304
Gaines, J.R., **172**, 1
Galkin, V.Ju., **172**, 331
Garcia, E., **172**, 75
Gavarri, J.-R., **172**, 213
Ginley, D.S., **172**, 413
Goltsev, A.V., **172**, 352
Gopalakrishnan, I.K., **172**, 325, 450
Gotoh, S., **172**, 495
Graf, T., **172**, 131, 491
Greene, R.L., **172**, 143
Griessen, R., **172**, 441
Gros, Y., **172**, 287
Gunasekaran, R.A., **172**, 325
Guo, S.J., **172**, 63
Gygax, S., **172**, 90

Hartmann-Boutron, F., **172**, 287
He, J., **172**, 267
Heinmaa, I., **172**, 340
Hellstrom, E.E., **172**, 435
Hertel, P., **172**, 127
Hidaka, Y., **172**, 120
Hiraga, K., **172**, 155
Hirsch, J.E., **172**, 265
Hodeau, J.L., **172**, 183
Hoenig, H.E., **172**, 365, 373
Hsieh, Y.-F., **172**, 282
Huang, Y.T., **172**, 271
Hubbard, C.R., **172**, 486
Hull, G.W., **172**, 13
Hundley, M.F., **172**, 455

Irwin, J.C., **172**, 90
Iyer, R.M., **172**, 325, 450
Izumi, F., **172**, 120, 166

Jia, C.L., **172**, 81
Jilek, E., **172**, 57
Job, R., **172**, 391
Jones, R., **172**, 13
Jorgensen, J.D., **172**, 166
Jung, J., **172**, 90

Kabius, B., **172**, 81
Kaga, H., **172**, 400
Kaldis, E., **172**, 57, 311
Kamiyama, T., **172**, 120
Karpinski, J., **172**, 57, 311
Kikuchi, M., **172**, 155
Klama, S., **172**, 242
Klotz, S., **172**, 423
Koshizuka, N., **172**, 495
Koyama, T., **172**, 501
Krajewski, J.J., **172**, 138
Kroeger, D.M., **172**, 486
Kubat-Martin, K.A., **172**, 75
Kwok, R.S., **172**, 455

Lægreid, T., **172**, 495
Lebech, B., **172**, 31
Legros-Gledel, C., **172**, 304
LePage, Y., **172**, 13
Levin, K., **172**, 481
Li, R., **172**, 335
Lightfoot, P., **172**, 166
Liu, H.K., **172**, 63, 295
Loberg, B., **172**, 63
Logothetis, E.M., **172**, 217, 233
Loveday, J.S., **172**, 311
Lu, J.P., **172**, 481
Lyubovskaya, R.N., **172**, 340

Mali, M., **172**, 57
Malik, S.K., **172**, 325
Mangelschots, I., **172**, 57

Marezio, M., **172**, 183
Marsh, P., **172**, 138
Marshall, J.H., **172**, 282
Marsiglio, F., **172**, 265
Marucco, J.-F., **172**, 304
Matsuda, M., **172**, 120
Matsuda, S., **172**, 383
Matsumoto, T., **172**, 166
McKinnon, W.R., **172**, 13
Meason, J.M., **172**, 43
Mi, Y., **172**, 407
Mijnarends, P.E., **172**, 175
Miner, W.A., **172**, 90
Miraglia, S., **172**, 207
Mironova, G.M., **172**, 331
Misra, A., **172**, 1
Mitchell, D.F., **172**, 90
Miyamoto, K., **172**, 383
Mohamed, M.A.-K., **172**, 90
Molotkov, S.N., **172**, 149
Monnereau, O., **172**, 213
Morán, E., **172**, 477
Morita, M., **172**, 383
Morosin, B., **172**, 413, 465
Mouget, C., **172**, 193
Murakami, M., **172**, 383, 495

Nagoshi, M., **172**, 155
Nazin, S.S., **172**, 149
Nelmes, R.J., **172**, 311
Norton, M.G., **172**, 47

Obien, J.M., **172**, 217
Oguchi, T., **172**, 277
Oikawa, T., **172**, 155
Oku, T., **172**, 155
Overmyer, D.L., **172**, 465

Padmanaban, V.P.N., **172**, 427
Papa, A.R.R., **172**, 361
Park, K.T., **172**, 467
Peck Jr., W.F., **172**, 138
Pei, S., **172**, 166
Peng, J.L., **172**, 143
Peterson, D.E., **172**, 75
Phillips, J.M., **172**, 282
Pinatel-Philippot, A., **172**, 304
Pleizier, G., **172**, 13
Plummer, K.H., **172**, 217
Popov, V.N., **172**, 260
Poppe, U., **172**, 81
Poulsen, H.F., **172**, 31

Qian, Y., **172**, 335
Querubin Jr., A., **172**, 1

Ramesh, R., **172**, 13
Ray II, R.D., **172**, 435
Reith, W., **172**, 423
Remova, A.A., **172**, 105
Remschnig, K., **172**, 13
Renevier, H., **172**, 183
Richter, F., **172**, 127
Roos, J., **172**, 57
Rosenberg, M., **172**, 391
Rudnickij, L.A., **172**, 331
Rusiecki, S., **172**, 57

Sadowski, W., **172**, 131
Sagdahl, L.T., **172**, 495
Salomons, G., **172**, 90
Santoro, A., **172**, 138
Sasaki, T., **172**, 277
Sathish, S., **172**, 407
Savvides, N., **172**, 295
Sawano, K., **172**, 383
Schaller, R., **172**, 407
Schilling, J.S., **172**, 423
Schirber, J.E., **172**, 465
Señarís-Rodríguez, M.A., **172**, 477
Shahi, K., **172**, 427
Shapiro, B.Ya., **172**, 105
Sheng, Z.Z., **172**, 43
Shindo, D., **172**, 155
Si, Q., **172**, 481
Siegal, M.P., **172**, 282
Skripov, A.V., **172**, 340
Smedskjaer, L.C., **172**, 175
Smirnova, I.S., **172**, 149
Soltis, R.E., **172**, 217, 233
Soltner, H., **172**, 81
Song, Y., **172**, 1
Sorrell, C.C., **172**, 63, 295
Soubeyroux, J.L., **172**, 207
Souletie, B., **172**, 193
Sproule, G.I., **172**, 90
Stepanov, A.P., **172**, 340
Strobel, P., **172**, 193
Syono, Y., **172**, 155

Tachiki, M., **172**, 501
Takagi, H., **172**, 120
Takayama-Muromachi, E., **172**, 120, 166, 199
Takezawa, N., **172**, 501
Tanaka, S., **172**, 495
Tarascon, J.M., **172**, 13
Tatarskii, V.V., **172**, 149
Terakura, K., **172**, 277
Thompson, J.D., **172**, 455
Tigges, C.P., **172**, 413
Tokiwa, A., **172**, 155
Tokura, Y., **172**, 120
Tomy, C.V., **172**, 325
Touzelin, B., **172**, 304
Triscone, J.-M., **172**, 365
Triscone, J.M., **172**, 373

Uchida, S., **172**, 120
Urban, K., **172**, 81

Vacquier, G., **172**, 213
Vainrub, A., **172**, 340
Valchinov, V.L., **172**, 260
Várez, A., **172**, 477
Venegas, V., **172**, 361
Venturini, E.L., **172**, 413
Vettier, C., **172**, 213
Vom Hedt, B., **172**, 23

Wali, M., **172**, 217
Wang, G., **172**, 267
Wang, J., **172**, 63
Wang, L., **172**, 267
Wang, W.X., **172**, 295
Wang Keqin, **172**, 71
Waszczak, J.V., **172**, 138
Wenger, L.E., **172**, 217, 233
Westerholt, K., **172**, 23
Williams, R.K., **172**, 486
Win, W., **172**, 217, 233
Winn, R., **172**, 295
Wu, S.F., **172**, 271
Wu, W.M., **172**, 295

Xin, Y., **172**, 43

Yakhmi, J.V., **172**, 325, 450
Yamada, K., **172**, 120
Yamada, Y., **172**, 166
Yamaguchi, K., **172**, 495
Yamauchi, H., **172**, 495
Yang Hongshun, **172**, 71
Yu, J., **172**, 467
Yvon, K., **172**, 491

Zhan Xiaonong, **172**, 71
Zhu Changfei, **172**, 71
Zimmermann, H., **172**, 57